LAWITEX		Material Safety Data Sheet	Page 1		
Weldi	ing technology	For welding consumables and related products Conforms to Workplace Hazardous Materials Inform System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Commun Standard, 29 CFR 1910.1200. Standard must be consi specific requirements. Maybe used to comply with <b>Council Directive 2006/1</b> relating to the classification, packaging and labellin dangerous substances. Blank spaces are not permitted. If any item is not applie no information is available, the space must be mark indicate that.	nation nication ulted for 1 <b>21/EC</b> ng of cable, or		
1.	Product and Company	v Identification			
1.1	Product information.				
	<b>Product type:</b>	solid wire, hig	gh alloyed		
	Product name:	LAWI 10 M	•		
1.2	Supplier:	LAWITEX G	mbH		
		Hitdorfer Str.	10 c		
		40764 Langer	nfeld		
2.	Composition/Informa	tion on Ingredients			
	Description:	This product con	ntains of < 1 weight		
			1 weight-% Cobalt.		
	Risky ingredients:	This product con Ingredients	itains no risky		
	CAS-Nr.		9-89-6		
	Type of Ingredient:	Cr Fe			
	Ingredient [Gew%]:	2,5-10% 50-	100%		
	Danger icon	not listed			
	Risk category:	not listed			
3.	Hazards Identification	occur during the process. Nickel o are classified as irritant substance	welding and grinding oxides might occur, which carcinogenic. In addition es such as fluorides and es as well as fine dusts		
4.	Emergency and first a		des) occur.		
т.	<b>Emergency and first aid procedures</b> Remove from dust of fume exposure. If breathing has stopped perform artificial respiration. Summon				
	medical aid immediately.		-		
	Inhalation:		fficult, provide fresh air		
	Skin contact:	and call physicia For skin burns fr	n. om arc radiation, see		
	Skill contact.		ted skin has to be washed		
		carefully with so			
	Eye contact:		rns due to arc flash, see		
			r flowing water wash out		
	After swollow:	the wide opened not listed	eyelid		
5.	Fire fighting measure		roduct is neighter		
5.	r ne nghung measure	flammable nor ex	roduct is neighter xplosive		
	possible fire extinguishing:	not usable	-		
6.	Accidental release me				
	Release	not usable			
7.	Handling and Storage	2			
7.1	Handling				
	Advise of precaution measu	res: UVV (VBG 15)	has to be follown		
7.2	Storage	,	C		
7.2	Storage Standarts for stockrooms/co	ntainer: special standards	for		

LAWITEX	Material Safety Data Sheet	Page 2
Welding technology	For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with <b>Council Directive 2006/121/EC</b> relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	LAWI 10 M

8.	Exposure Controls/Personal Pro	otection					
8.1	additional advises		The measures under point				
	for technical machines		7.1 has to be taken into consideration				
8.2	Components with working place related limit						
	Values which must be supervised						
	Identification of Substance	CAS-No.	limit value				
	chrome	7440-47-3	2,5-10%				
	iron	7439-89-6	50-100%				
	manganese oxide (Mn3O4)	1317-35-7	1,0 mg/m <sup>3</sup> (TRK) total weight				
	fluorides	-	6,0 mg/m <sup>3</sup> (TRK) total weight				
	ozone	10028-15-6	0,2 mg/m <sup>3</sup> (TRK) total weight				
8.3	Personal safety equipment						
	Respiratory, hand, eye, Safety and hyhienic protection		follow UVV (VBG 15) §27 in the workroom drinking or eating is not allowed to				
9.	Physical and Chemical Properti	es					
	manifestation:		solid wire, high alloyed				
	safety relevant data:		not applicable				
10.	Stability and Reactivity		avoid contact with acids and bases Product is stable until 1200C.				
11.	<b>Toxicological Information</b>		follow point 3				
12.	Ecological Information:		Welding consumables and materials could degrade/weather into components originating from the consumables or from the materials used in the welding process. Avoid exposure to conditions that could lead to accumulation in soils or groundwater.				
13.	Disposal Considerations		Waste Disposal Method:				
			Prevent waste from contaminating the surrounding environment. Discard any product, residue, disposable, container or liner in an environmentally acceptable manner, in full compliance with federal, state and local regualtions.				
14.	Transport Information						
			No international regulations or restrictions are applicable				
15.	<b>Regulatory Information</b>						
15.1	registration mark		not listed				
	registration letter		not listed				
	Danger icon		not listed				
	Risk category		not listed not listed				
	Security category		not iisted				

LAWITEX	Material Safety Data Sheet	Page 3
Welding technology	For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with <b>Council Directive 2006/121/EC</b> relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	LAWI 10 M

## 15.2 National regulations

Advice of working restrictions Malfunction V: classification about VbF: technical instructions AIR: Danger grade of water: Other regulations: not usable not usable 5 mg/m<sup>3</sup>, by a mass power > 25 g/h not expected not announced

## 16. **Other information**

literature:

Unfallverhütungsvorschriften (VBG 15) Schweißen Schneiden und verwandte Verfahren DVS-Merkblatt 1201: Absaugung an Schweißarbeitsplätzen DVS-Faltblätter zum Arbeitsschutz beim Schweißen DVS-Fachbuch Unterweisung von Schweißern im Arbeitsschutz Kraume, Zober: Arbeitssicherheit und Gesundheitschutz in der Schweißtechnik

LAWITEX GmbH Schweisstechnik 40764 Langenfeld Telefon: 02173-3991780 Hitdorfer Str. 10 c Fax: 02173-3991781