Material Safety Data Sheet Page 1 LAWI 28 For welding consumables and related products Welding technology Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with Council Directive 2006/121/EC relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to

indicate that.

1.	Product and	Company	Identification
Ι.	Product and	Company	raenuncauon

1	1	Product information.
н.		Product information.

Product type: solid wire, high alloyed

Product name: LAWI 28

1.2 **Supplier:** LAWITEX GmbH

7. 7.1	Handling and Storage Handling	
	Release	not usable
6.	Accidental release measures	
5.	Fire fighting measures possible fire extinguishing:	not usable, the product is neighter flammable nor explosive not usable
	Eye contact: After swollow:	For radiation burns due to arc flash, see physician. Under flowing water wash out the wide opened eyelid not listed
	Skin contact:	and call physician. For skin burns from arc radiation, see physician. Affected skin has to be washed carefully with soap.
4.	4. Emergency and first aid procedures Remove from dust of fume exposure. If breathing has stopped perform artificial respira medical aid immediately. Inhalation: If breathing is difficult, p	
		occur during the welding and grinding process. Nickel oxides might occur, which are classified as carcinogenic. In addition irritant substances such as fluorides and manganese oxides as well as fine dusts (mostly iron oxides) occur.
3.	Hazards Identification	Different kinds of fume and dust
	Type of Ingredient: Ingredient [Gew%]: Danger icon Risk category:	not listed not listed not listed not listed
	CAS-Nr.	Ingredients not listed
2.	Composition/Information on Ingrediction: Risky ingredients:	This product contains of ≥ 1 Gew% Nickel and < 1 Gew% Cobalt. This product contains no risky
2.	Composition/Information on Inquali	40764 Langenfeld
		Hitdorfer Str. 10 c

Handling /.I

UVV (VBG 15) has to be follown Advise of precaution measures:

7.2

Standarts for stockrooms/container: spezial standarts for stockrooms/container

do not exist

LAWITEX	Material Safety Data Sheet	Page 2
Welding technology	For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with Council Directive 2006/121/EC relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	LAWI 28

8.	Exposure Controls/Personal Pr	rotection			
8.1	additional advises		The measures under point		
	for technical machines		7.1 has to be taken into consideration		
8.2	Components with working place				
	Values which must be supervised				
	Identification of Substance	CAS-No.	limit value		
	Manganese oxide (Mn3O4)	1317-35-7	1,0 mg/m³ (MAK) Gesamtst.		
	Fluorides	-	$6.0 \text{ mg/m}^3 \text{ (MAK)}$		
	Ozone	10028-15-6	$0.2 \text{ mg/m}^3 \text{ (MAK)}$		
8.3	Personal safety equipment		, ,		
	Respiratory, hand, eye,		follow UVV (VBG 15) §27		
	Safety and hyhienic protection		in the workroom drinking or eating is not		
			allowed to		
9.	Physical and Chemical Proper	ties			
	manifestation:		solid wire, high alloyed		
	safety relevant data:		not applicable		
10.	Stability and Reactivity		avoid contact with acids and bases		
			Product is stable until 1200C.		
11.	Toxicological Information		follow point 3		
12.	Ecological Information:		Welding consumables and materials could degrade/weather into components originating from the consumables or from the materials used in the welding process. Avoid exposure to conditions that could lead to accumulation in soils or groundwater.		
13.	Disposal Considerations		Waste Disposal Method:		
			Prevent waste from contaminating the surrounding environment. Discard any product, residue, disposable, container or liner in an environmentally acceptable manner, in full compliance with federal, state and local regualtions.		
14.	Transport Information				
			No international regulations or restrictions		
1.5	Dogulatowy Information		are applicable		
15.	Regulatory Information		431.4.3		
15.1	registration mark		not listed		
	registration letter Danger icon		not listed not listed		
	Risk category		not listed		
	Security category		not listed		
	, ,				



Welding technology

Material Safety Data Sheet

For welding consumables and related products
Conforms to Workplace Hazardous Materials Information
System (WHIMS) Rev. Nov. 1988
May be used to comply with Osha's Hazard Communication
Standard, 29 CFR 1910.1200. Standard must be consulted for
specific requirements.

Maybe used to comply with **Council Directive 2006/121/EC** relating to the classification, packaging and labelling of dangerous substances.

Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Page 3

LAWI 28

15.2 **National regulations**

Advice of working restrictions Malfunction V:

classification about VbF: technical instructions AIR:

Danger grade of water: Other regulations: not usable not usable not usable

5 mg/m³, bei einem Massenstrom > 25 g/h

not expected not announced

16. **Other information**

literature:

Unfallverhütungsvorschriften (VBG 15) Schweißen Schneiden und verwandte Verfahren DVS-Merkblatt 1201: Absaugung an Schweißarbeitsplätzen DVS-Faltblätter zum Arbeitsschutz beim Schweißen DVS-Fachbuch Unterweisung von Schweißern im Arbeitsschutz Kraume, Zober: Arbeitssicherheit und Gesundheitschutz in der Schweißtechnik

LAWITEX GmbH Schweisstechnik **40764 Langenfeld** Telefon: 02173-3991780

Hitdorfer Str. 10 c Fax: 02173-3991781