LA	WITEX	Material Safety Data SheetPage 1			
/eld	ing technology	For welding consumables and related productsLAWI 40Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988Information System (WHIMS) Rev. Nov. 1988May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.Information Standard must be consulted for specific requirements.Maybe used to comply with Council Directive 2006/121/EC relating to the classification, packaging and labelling of dangerous substances.Information substances.Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.Information			
	Product and Company Identification				
.1	Product information.				
	Product type:	solid wire, high alloyed			
	Product name:	LAWI 40			
2	Supplier:	LAWITEX GmbH			
		Hitdorfer Str. 10 c			
		40764 Langenfeld			
	Composition/Informati	on on Ingredients			
	Description:	Copper and pewter alloyed			
	Risky ingredients:	This product contains no risky			
	CAS-Nr.	ingredients not listed			
	Type of Ingredient:	not listed			
	Ingredient [weight-%]:	not listed			
	Danger icon	not listed			
	Risk category: Hazards Identification	not listed Different kinds of fume and dust			
		occur during the welding and grinding process. Nickel oxides might occur, which are classified as carcinogenic. In addition irritant substances such as fluorides and manganese oxides as well as fine dusts (mostly iron oxides) occur.			
•	Emergency and first ai Remove from dust of fume ex medical aid immediately.	d procedures aposure. If breathing has stopped perform artificial respiration. Summon			
	Inhalation:	If breathing is difficult, provide fresh air			
	Skin contact:	and call physician. For skin burns from arc radiation, see physician. Affected skin has to be washed			
		carefully with soap.			
	Eye contact:	For radiation burns due to arc flash, see physician. Under flowing water wash out the wide opened eyelid			
	Eye contact: After swollow:	For radiation burns due to arc flash, see physician. Under flowing water wash out			
	After swollow: Fire fighting measures	For radiation burns due to arc flash, see physician. Under flowing water wash out the wide opened eyelid not listed not usable, the product is neighter flammable nor explosive			
	After swollow: Fire fighting measures possible fire extinguishing:	For radiation burns due to arc flash, see physician. Under flowing water wash out the wide opened eyelid not listed not usable, the product is neighter flammable nor explosive not usable			
	After swollow: Fire fighting measures possible fire extinguishing: Accidental release mea	For radiation burns due to arc flash, see physician. Under flowing water wash out the wide opened eyelid not listed not usable, the product is neighter flammable nor explosive not usable sures			
	After swollow: Fire fighting measures possible fire extinguishing: Accidental release mea Release	For radiation burns due to arc flash, see physician. Under flowing water wash out the wide opened eyelid not listed not usable, the product is neighter flammable nor explosive not usable			
	After swollow: Fire fighting measures possible fire extinguishing: Accidental release mea Release Handling and Storage	For radiation burns due to arc flash, see physician. Under flowing water wash out the wide opened eyelid not listed not usable, the product is neighter flammable nor explosive not usable			
.1	After swollow: Fire fighting measures possible fire extinguishing: Accidental release mea Release Handling and Storage Handling	For radiation burns due to arc flash, see physician. Under flowing water wash out the wide opened eyelid not listed not usable, the product is neighter flammable nor explosive not usable sures not usable			
	After swollow: Fire fighting measures possible fire extinguishing: Accidental release mea Release Handling and Storage	For radiation burns due to arc flash, see physician. Under flowing water wash out the wide opened eyelid not listed not usable, the product is neighter flammable nor explosive not usable sures not usable			

LAWITEX	Material Safety Data Sheet	Page 2
Welding technology	For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with Council Directive 2006/121/EC relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	LAWI 40

8.	Exposure Controls/Personal P	rotection			
8.1	additional advises		The measures under point		
	for technical machines		7.1 has to be taken into consideration		
8.2	Components with working pla				
	Values which must be supervised				
	Identification of Substance	CAS-No.	limit value		
	Copper	7440-50-8	$1,0 \text{ mg/m}^3$ (TRK)		
	Copper dust	7440-50-8	$0,1 \text{ mg/m}^3$ (TRK)		
	Manganese oxide (Mn3O4)	1317-35-7	$1,0 \text{ mg/m}^3$ (TRK)		
	Fluorides	-	6,0 mg/m ³ (TRK)		
	Ozone	10028-15-6	0.2 mg/m^3 (TRK)		
3.3	Personal safety equipment		·,		
	Respiratory, hand, eye,		follow UVV (VBG 15) §27		
	Safety and hybienic protection		in the workroom drinking or eating is not		
	5 5 1		allowed to		
).	Physical and Chemical Properties				
	manifestation:		solid wire, high alloyed		
	safety relevant data:		not applicable		
10.	Stability and Reactivity		avoid contact with acids and bases		
	2		Product is stable until 1200C.		
1.	Toxicological Information		follow point 3		
2.	Ecological Information:		Welding consumables and		
	0		materials could degrade/weather into		
			components originating from the consumables		
			or from the materials used in the welding		
			process. Avoid exposure to conditions that could lead to accumulation in soils or		
			groundwater.		
3.	Disposal Considerations		Waste Disposal Method:		
15.	Disposal Considerations		Prevent waste from contaminating the		
			surrounding environment. Discard any		
			product, residue, disposable, container or		
			liner in an environmentally acceptable		
			manner, in full compliance with federal,		
			state and local regualtions.		
14.	Transport Information				
			No international regulations or restrictions		
			are applicable		
5.	Regulatory Information				
5.1	registration mark		not listed		
	registration letter		not listed		
			not listed		
	Danger icon				
	Danger icon Risk category Security category		not listed not listed		

LAWITEX	Material Safety Data Sheet	Page 3
Welding technology	For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with Council Directive 2006/121/EC relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	LAWI 40

15.2 National regulations

Advice of working restrictions Malfunction V: classification about VbF: technical instructions AIR: Danger grade of water: Other regulations:

16. **Other information**

not usable not usable 5 mg/m³, by a mass power > 25 g/h not expected not announced

literature:

Unfallverhütungsvorschriften (VBG 15) Schweißen Schneiden und verwandte Verfahren DVS-Merkblatt 1201: Absaugung an Schweißarbeitsplätzen DVS-Faltblätter zum Arbeitsschutz beim Schweißen DVS-Fachbuch Unterweisung von Schweißern im Arbeitsschutz Kraume, Zober: Arbeitssicherheit und Gesundheitschutz in der Schweißtechnik

LAWITEX GmbH Schweisstechnik 40764 Langenfeld Telefon: 02173-3991780 Hitdorfer Str. 10 c Fax: 02173-3991781