

For welding consumables and related products
 Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988
 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.
 Maybe used to comply with **Council Directive 2006/121/EC** relating to the classification, packaging and labelling of dangerous substances.
 Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

1. Product and Company Identification**1.1 Product information.****Product type:**

solid wire, high alloyed

Product name:**LAWI 42****1.2 Supplier:**

LAWITEX GmbH

Hitdorfer Str. 10 c

40764 Langenfeld

2. Composition/Information on Ingredients

Description:	This product contains nickel, copper and aluminium		
Risky ingredients:	Cu	Al	Ni
CAS-Nr.	7440-50-8	7429-90-5	7440-02-0
EINECS-Nr.:	2311596	2311004	2311114
Danger icon:	Xn		
Risk category:	R40/43		

3. Hazards Identification

Different kinds of fume and dust occur during the welding and grinding process. Nickel oxides might occur, which are classified as carcinogenic. In addition irritant substances such as fluorides and manganese oxides as well as fine dusts (mostly iron oxides) occur.

4. Emergency and first aid procedures

Remove from dust of fume exposure. If breathing has stopped perform artificial respiration. Summon medical aid immediately.

Inhalation:

If breathing is difficult, provide fresh air and call physician.

Skin contact:

For skin burns from arc radiation, see physician. Affected skin has to be washed carefully with soap.

Eye contact:

For radiation burns due to arc flash, see physician. Under flowing water wash out the wide opened eyelid

After swallow:

not listed

5. Fire fighting measures

not usable, the product is neither flammable nor explosive

possible fire extinguishing:

not usable

6. Accidental release measures**Release**

not usable

7. Handling and Storage**7.1 Handling**

Advise of precaution measures:

UVV (VBG 15) has to be followed

7.2 Storage

Standards for stockrooms/container:

special standards for stockrooms/container do not exist

For welding consumables and related products
 Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988
 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.
 Maybe used to comply with **Council Directive 2006/121/EC** relating to the classification, packaging and labelling of dangerous substances.
 Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

8. Exposure Controls/Personal Protection

8.1 **additional advises for technical machines** The measures under point 7.1 has to be taken into consideration

8.2 Components with working place related limit Values which must be supervised

Identification of Substance	CAS-No.	limit value
Copper	7440-50-8	1,0 mg/m ³ (TRK)
Copper dust	7440-50-8	0,1 mg/m ³ (TRK)
Aluminium	7429-90-5	6,0 mg/m ³ (TRK)
Nickel	7440-02-0	0,5 mg/m ³ (TRK)
Nickeloxide	1313-99-1	0,5 mg/m ³ (TRK)
Manganese oxid (Mn304)	1317-35-7	1,0 mg/m ³ (TRK)
Fluorides	-	6,0 mg/m ³ (TRK)
Ozone	10028-15-6	0,2 mg/m ³ (TRK)

8.3 Personal safety equipment

Respiratory, hand, eye,
 Safety and hyhienic protection follow UVV (VBG 15) §27 in the workroom drinking or eating is not allowed.

9. Physical and Chemical Properties

manifestation: solid wire, high alloyed
 safety relevant data: not applicable

10. Stability and Reactivity

avoid contact with acids and bases
 Product is stable until 900C°.

11. Toxicological Information

follow point 3

12. Ecological Information:

Welding consumables and materials could degrade/weather into components originating from the consumables or from the materials used in the welding process. Avoid exposure to conditions that could lead to accumulation in soils or groundwater.

13. Disposal Considerations

Waste Disposal Method:
 Prevent waste from contaminating the surrounding environment. Discard any product, residue, disposable, container or liner in an environmentally acceptable manner, in full compliance with federal, state and local regualtions.

14. Transport Information

No international regulations or restrictions are applicable

15. Regulatory Information

15.1 registration mark	not listed
registration letter	not listed
Danger icon	not listed
Risk category	not listed
Security category	not listed

For welding consumables and related products
Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988
May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.
Maybe used to comply with **Council Directive 2006/121/EC** relating to the classification, packaging and labelling of dangerous substances.
Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

15.2 National regulations

Advice of working restrictions	not usable
Malfunction V:	not usable
classification about VbF:	not usable
technical instructions AIR:	1 mg/m ³ , by a mass power > 5 g/h
Danger grade of water:	not expected
Other regulations:	not announced

16. Other information**literature:**

Unfallverhütungsvorschriften
(VBG 15) Schweißen Schneiden
und verwandte Verfahren
DVS-Merkblatt 1201: Absaugung
an Schweißarbeitsplätzen
DVS-Faltblätter zum Arbeitsschutz
beim Schweißen
DVS-Fachbuch Unterweisung von
Schweißern im Arbeitsschutz
Kraume, Zober: Arbeitssicherheit
und Gesundheitsschutz in der
Schweißtechnik