# **LAWITEX**

1.2

#### Welding technology

# **Material Safety Data Sheet**

For welding consumables and related products
Conforms to Workplace Hazardous Materials Information
System (WHIMS) Rev. Nov. 1988
May be used to comply with Osha's Hazard Communication
Standard, 29 CFR 1910.1200. Standard must be consulted for

tandard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Maybe used to comply with **Council Directive 2006/121/EC** relating to the classification, packaging and labelling of dangerous substances.

Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Page 1

LAWI 45 AL

#### 1. **Product and Company Identification**

1.1 **Product information.** 

**Product type:** solid wire, high alloyed

Product name:

Supplier:

LAWI 45 AL

LAWITEX GmbH

Hitdorfer Str. 10 c

40764 Langenfeld

| 2. | Composition/Information of | on Ingredients |
|----|----------------------------|----------------|
|----|----------------------------|----------------|

Description: This product contains of < 1 weight -% Nickel and < 1 weight-% Cobalt.

Risky ingredients: This product contains no risky Ingredients

CAS-Nr. not listed
Type of Ingredient: not listed
Ingredient [weight-%]: not listed
Danger icon not listed
Risk category: not listed

## 3. **Hazards Identification** Different kinds of fume and dust

occur during the welding and grinding process. Nickel oxides might occur, which are classified as carcinogenic. In addition irritant substances such as fluorides and manganese oxides as well as fine dusts (mostly iron oxides) occur.

#### 4. Emergency and first aid procedures

Remove from dust of fume exposure. If breathing has stopped perform artificial respiration. Summon medical aid immediately.

Inhalation: If breathing is difficult, provide fresh air

and call physician.
Skin contact: For skin burns from arc radiation, see

physician. Affected skin has to be washed

carefully with soap.

Eye contact: For radiation burns due to arc flash, see

physician. Under flowing water wash out

the wide opened eyelid
After swollow: not listed

Fire fighting measures not usable, the product is neighter

flammable nor explosive

possible fire extinguishing: not usable

### 6. Accidental release measures

**Release** not usable

## 7. Handling and Storage

#### 7.1 **Handling**

5.

Advise of precaution measures: UVV (VBG 15) has to be follown

#### 7.2 **Storage**

Standarts for stockrooms/container: special standards for

stockrooms/container do not exist

| LAWITEX |   |
|---------|---|
|         | l |

Welding technology

# **Material Safety Data Sheet**

For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication
Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Maybe used to comply with **Council Directive 2006/121/EC**relating to the classification, packaging and labelling of
dangerous substances.

Blank spaces are not permitted. If any item is not applicable, or
no information is available, the space must be marked to
indicate that.

Page 2

LAWI 45 AL

| 0    | E C41-/D1 D-                                | -449       |   |  |  |
|------|---|------------|---|--|--|
| 8.   | Exposure Controls/Personal Protection       |            |   |  |  |
| 8.1  | additional advises                          |            | The measures under point  |  |  |
|      | for technical machines                      |            | 7.1 has to be taken into consideration  |  |  |
| 8.2  | Components with working place related limit |            |   |  |  |
|      | Values which must be supervised             |            |   |  |  |
|      | Identification of Substance                 | CAS-No.    | limit value   |  |  |
|      | Manganese oxide (Mn3O4)                     | 1317-35-7  | 1,0 mg/m <sup>3</sup> (TRK) total weight  |  |  |
|      | Fluorides                                   | -          | 6,0 mg/m³ (TRK) total weight  |  |  |
|      | Ozone                                       | 10028-15-6 | 0,2 mg/m³ (TRK) total weight  |  |  |
| 8.3  | Personal safety equipment                   |            |   |  |  |
|      | Respiratory, hand, eye,                     |            | follow UVV (VBG 15) §27   |  |  |
|      | Safety and hyhienic protection              |            | in the workroom drinking or eating is not   |  |  |
|      |   |            | allowed to  |  |  |
| 9.   | Physical and Chemical Propert               | ies        |   |  |  |
|      | manifestation:                              |            | solid wire, high alloyed  |  |  |
|      | safety relevant data:                       |            | not applicable  |  |  |
| 10.  | Stability and Reactivity                    |            | avoid contact with acids and bases  |  |  |
|      |   |            | Product is stable until 1200C.  |  |  |
| 11.  | Toxicological Information                   |            | follow point 3  |  |  |
| 12.  | <b>Ecological Information:</b>              |            | Welding consumables and   |  |  |
|      |   |            | materials could degrade/weather into components originating from the consumables  |  |  |
|      |   |            | or from the materials used in the welding   |  |  |
|      |   |            | process. Avoid exposure to conditions that  |  |  |
|      |   |            | could lead to accumulation in soils or  |  |  |
|      |   |            | groundwater.  |  |  |
| 13.  | <b>Disposal Considerations</b>              |            | Waste Disposal Method:  |  |  |
|      |   |            | Prevent waste from contaminating the  |  |  |
|      |   |            | surrounding environment. Discard any  |  |  |
|      |   |            | product, residue, disposable, container or liner in an environmentally acceptable |  |  |
|      |   |            | manner, in full compliance with federal,  |  |  |
|      |   |            | state and local regualtions.  |  |  |
| 14.  | Transport Information                       |            |   |  |  |
|      | •   |            | No international regulations or restrictions                                      |  |  |
|      |   |            | are applicable  |  |  |
| 15.  | Regulatory Information                      |            |   |  |  |
| 15.1 | registration mark                           |            | not listed  |  |  |
|      | registration letter                         |            | not listed  |  |  |
|      | Danger icon                                 |            | not listed  |  |  |
|      | Risk category                               |            | not listed<br>not listed  |  |  |
|      | Security category                           |            |   |  |  |



#### Welding technology

# **Material Safety Data Sheet**

For welding consumables and related products
Conforms to Workplace Hazardous Materials Information
System (WHIMS) Rev. Nov. 1988
May be used to comply with Osha's Hazard Communication
Standard, 29 CFR 1910.1200. Standard must be consulted for
specific requirements.

Maybe used to comply with **Council Directive 2006/121/EC** relating to the classification, packaging and labelling of dangerous substances.

Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Page 3

LAWI 45 AL

#### 15.2 National regulations

Advice of working restrictions not usable Malfunction V: not usable classification about VbF: not usable

technical instructions AIR:  $5 \text{ mg/m}^3$ , by a mass power > 25 g/h Danger grade of water: not expected

Other regulations: not announced

#### 16. **Other information**

#### literature:

Schweißtechnik

Unfallverhütungsvorschriften (VBG 15) Schweißen Schneiden und verwandte Verfahren DVS-Merkblatt 1201: Absaugung an Schweißarbeitsplätzen DVS-Faltblätter zum Arbeitsschutz beim Schweißen DVS-Fachbuch Unterweisung von Schweißern im Arbeitsschutz Kraume, Zober: Arbeitssicherheit und Gesundheitschutz in der

LAWITEX GmbH Schweisstechnik **40764 Langenfeld Hitdorfer Str. 10 c Telefon: 02173-3991780 Fax: 02173-3991781**