LAWITEX

1.2

Welding technology

Material Safety Data Sheet

For welding consumables and related products
Conforms to Workplace Hazardous Materials Information
System (WHIMS) Rev. Nov. 1988
May be used to comply with Osha's Hazard Communication
Standard, 29 CFR 1910.1200. Standard must be consulted for

specific requirements.

Maybe used to comply with **Council Directive 2006/121/EC** relating to the classification, packaging and labelling of dangerous substances.

Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Page 1

LAWI 47 AL

1. **Product and Company Identification**

1.1 **Product information.**

Product type: solid wire, high alloyed

Product name:

Supplier:

LAWI 47 AL

LAWITEX GmbH

Hitdorfer Str. 10 c

40764 Langenfeld

2. Composition/Information on Ingredients

Description: This product contains of < 1 weight -% Nickel and < 1 weight-% Cobalt.

Risky ingredients: This product contains no risky

Ingredients
CAS-Nr. not listed
Type of Ingredient: not listed
Ingredient [weight-%]: not listed
Danger icon not listed
Risk category: not listed

3. **Hazards Identification**

Different kinds of fume and dust occur during the welding and grinding process. Nickel oxides might occur, which are classified as carcinogenic. In addition irritant substances such as fluorides and manganese oxides as well as fine dusts (mostly iron oxides) occur.

4. Emergency and first aid procedures

Remove from dust of fume exposure. If breathing has stopped perform artificial respiration. Summon medical aid immediately.

Inhalation: If breathing is difficult, provide fresh air

and call physician.
Skin contact: For skin burns from arc radiation, see

physician. Affected skin has to be washed

carefully with soap.

Eye contact: For radiation burns due to arc flash, see

physician. Under flowing water wash out the wide opened eyelid

and 1's to 1

After swollow: not listed

5. **Fire fighting measures** not usable, the product is neighter

flammable nor explosive

possible fire extinguishing: not usable

6. Accidental release measures

Release not usable

7. Handling and Storage

7.1 **Handling**

Advise of precaution measures: UVV (VBG 15) has to be follown

7.2 **Storage**

Standarts for stockrooms/container: special standards for

stockrooms/container do not exist

L	W	и	EX
V			

Welding technology

Material Safety Data Sheet

For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication
Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Maybe used to comply with **Council Directive 2006/121/EC**relating to the classification, packaging and labelling of
dangerous substances.

Blank spaces are not permitted. If any item is not applicable, or
no information is available, the space must be marked to
indicate that.

Page 2

LAWI 47 AL

8.	Exposure Controls/Personal Pr	otection			
8.1	additional advises		The measures under point		
	for technical machines		7.1 has to be taken into consideration		
8.2	Components with working place related limit				
	Values which must be supervised				
	Identification of Substance	CAS-No.	limit value		
	Manganese oxide (Mn3O4)	1317-35-7	1,0 mg/m³ (TRK) total weight		
	Fluorides	-	6,0 mg/m³ (TRK) total weight		
	Ozone	10028-15-6	0,2 mg/m³ (TRK) total weight		
8.3	Personal safety equipment				
	Respiratory, hand, eye,		follow UVV (VBG 15) §27		
	Safety and hyhienic protection		in the workroom drinking or eating is not		
			allowed to		
9.	Physical and Chemical Propert	ies			
	manifestation:		solid wire, high alloyed		
10	safety relevant data:		not applicable		
10.	Stability and Reactivity		avoid contact with acids and bases		
1.1			Product is stable until 1200C.		
11.	Toxicological Information		follow point 3		
12.	Ecological Information:		Welding consumables and materials could degrade/weather into components originating from the consumables or from the materials used in the welding process. Avoid exposure to conditions that could lead to accumulation in soils or groundwater.		
13.	Disposal Considerations		Waste Disposal Method: Prevent waste from contaminating the surrounding environment. Discard any product, residue, disposable, container or liner in an environmentally acceptable manner, in full compliance with federal, state and local regualtions.		
14.	Transport Information				
	_		No international regulations or restrictions are applicable		
15.	Regulatory Information				
15.1	registration mark		not listed		
	registration letter		not listed		
	Danger icon		not listed		
	Risk category Security category		not listed		
	DECULIE CALEBOLY		not listed		



Welding technology

Material Safety Data Sheet

For welding consumables and related products
Conforms to Workplace Hazardous Materials Information
System (WHIMS) Rev. Nov. 1988
May be used to comply with Osha's Hazard Communication
Standard, 29 CFR 1910.1200. Standard must be consulted for
specific requirements.

Maybe used to comply with **Council Directive 2006/121/EC** relating to the classification, packaging and labelling of dangerous substances.

Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Page 3

LAWI 47 AL

15.2 **National regulations**

Advice of working restrictions not usable Malfunction V: not usable classification about VbF: not usable

technical instructions AIR: 5 mg/m^3 , by a mass power > 25 g/h Danger grade of water: not expected

Other regulations: not announced

16. **Other information**

literature:

Schweißtechnik

Unfallverhütungsvorschriften (VBG 15) Schweißen Schneiden und verwandte Verfahren DVS-Merkblatt 1201: Absaugung an Schweißarbeitsplätzen DVS-Faltblätter zum Arbeitsschutz beim Schweißen DVS-Fachbuch Unterweisung von Schweißern im Arbeitsschutz Kraume, Zober: Arbeitssicherheit und Gesundheitschutz in der

LAWITEX GmbH Schweisstechnik **40764 Langenfeld Hitdorfer Str. 10 c Telefon: 02173-3991780 Fax: 02173-3991781**