LAWITEX		Material Safety Data Sheet		Page 1
Welding technology		For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with <b>Council Directive 2006/121/EC</b> relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.		LAWI 50
1. 1.1	<b>Product and Compan</b> Product information.	y Identification		
1.2	Product type:	solid wire, high alloyed <b>LAWI 50</b> LAWITEX GmbH		ed
	Product name: Supplier:			
			Hitdorfer Str. 10 c	
			40764 Langenfeld	
2.	Composition/Informa	tion on Ingredients	_	
	Description:	0	This product contains of 2	21 weight
	1		-% Nickel and < 1 weight	-
	Risky ingredients:		This product contains no	
			Ingredients	-
	CAS-Nr.		not listed	
	Type of Ingredient:		not listed	
	Ingredient [weight-%]:		not listed	
	Danger icon		not listed	
	Risk category:		not listed	
3.	Hazards Identification	n	Different kinds of fume a	
			· · · · · · · · · · · · · · · · · · ·	

Different kinds of fume and dust occur during the welding and grinding process. Nickel oxides might occur, which are classified as carcinogenic. In addition irritant substances such as fluorides and manganese oxides as well as fine dusts (mostly iron oxides) occur.

		(mostry non oxides) occur.			
4.	Emergency and first aid procedures				
	Remove from dust of fume exposure. If breathing has stopped perform artificial respiration. Summe				
	medical aid immediately.				
	Inhalation:	If breathing is difficult, provide fresh air and call physician.			
	Skin contact:	For skin burns from arc radiation, see			
		physician. Affected skin has to be washed carefully with soap.			
	Eye contact:	For radiation burns due to arc flash, see			
		physician. Under flowing water wash out			
	4.6. 11	the wide opened eyelid			
	After swollow:	not listed			
5.	Fire fighting measures	not usable, the product is neighter			
		flammable nor explosive			
	possible fire extinguishing:	not usable			
6.	Accidental release measures				
	Release	not usable			
7.	Handling and Storage				
7.1	Handling				
	Advise of precaution measures:	UVV (VBG 15) has to be follown			
7.2	Storage				
	Standarts for stockrooms/container:	special standards for stockrooms/container do not exist			

LAWITEX	Material Safety Data Sheet	Page 2
Welding technology	For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with <b>Council Directive 2006/121/EC</b> relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	LAWI 50

8.	Exposure Controls/Personal Pr	rotection				
8.1	additional advises for technical machines		The measures under point			
			7.1 has to be taken into consideration			
8.2	Components with working place related limit					
	Values which must be supervised					
	Identification of Substance	CAS-No.	limit value			
	Manganese oxide (Mn3O4)	1317-35-7	1,0 mg/m <sup>3</sup> (TRK)			
	Fluorides	-	$6,0 \text{ mg/m}^3$ (TRK)			
	Ozone	10028-15-6	$0.2 \text{ mg/m}^3$ (TRK)			
8.3	Personal safety equipment					
	Respiratory, hand, eye,		follow UVV (VBG 15) §27			
	Safety and hybienic protection		in the workroom drinking or eating is not			
			allowed to			
9.	Physical and Chemical Propert	ties				
	manifestation:		solid wire, high alloyed			
	safety relevant data:		not applicable			
10.	Stability and Reactivity		avoid contact with acids and bases			
			Product is stable until 1200C.			
11.	<b>Toxicological Information</b>		follow point 3			
12.	Ecological Information:		Welding consumables and materials could degrade/weather into components originating from the consumables or from the materials used in the welding process. Avoid exposure to conditions that could lead to accumulation in soils or groundwater.			
13.	Disposal Considerations		Waste Disposal Method: Prevent waste from contaminating the surrounding environment. Discard any product, residue, disposable, container or liner in an environmentally acceptable manner, in full compliance with federal, state and local regualtions.			
14.	Transport Information					
	-		No international regulations or restrictions are applicable			
15.	<b>Regulatory Information</b>					
15.1	registration mark		not listed			
	registration letter		not listed			
	Danger icon		not listed			
	Risk category		not listed			
	Security category		not listed			

LAWITEX	Material Safety Data Sheet	Page 3
Welding technology	For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with <b>Council Directive 2006/121/EC</b> relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	LAWI 50

## 15.2 National regulations

Advice of working restrictions Malfunction V: classification about VbF: technical instructions AIR: Danger grade of water: Other regulations:

## 16. **Other information**

not usable not usable 5 mg/m<sup>3</sup>, by a mass power > 25 g/h not expected not announced

## literature:

Unfallverhütungsvorschriften (VBG 15) Schweißen Schneiden und verwandte Verfahren DVS-Merkblatt 1201: Absaugung an Schweißarbeitsplätzen DVS-Faltblätter zum Arbeitsschutz beim Schweißen DVS-Fachbuch Unterweisung von Schweißern im Arbeitsschutz Kraume, Zober: Arbeitssicherheit und Gesundheitschutz in der Schweißtechnik

LAWITEX GmbH Schweisstechnik 40764 Langenfeld Telefon: 02173-3991780 Hitdorfer Str. 10 c Fax: 02173-3991781