	WITEX	Material Safety Data Sheet	Page 1	
Weldi	ing technology	For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with Council Directive 2006/121/EC relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	LAWI 56	
1.	Product and Compan	v Identification		
1.1	Product information.	y		
	Product type:	solid wire, high allog	ved	
	Product name:	LAWI 56	jeu	
1.2	Supplier:	LAWITEX GmbH		
	~~	Hitdorfer Str. 10 c		
		40764 Langenfeld		
2.	Composition/Informa			
2.	Description:	This product contains of	< 1 weight	
	l	-% Nickel		
	Risky ingredients:	This product contains no	o risky	
	CACN	Ingredients		
	CAS-Nr. Type of Ingredient:	7440-47-3 7439-89-6 Cr Fe		
	Ingredient [weight-%]:	10-30% 50-100%		
	Danger icon	not listed		
	Risk category:	not listed	not listed	
3.	Hazards Identification			
		occur during the welding		
		process. Nickel oxides n are classified as carcinos		
		irritant substances such a	as fluorides and	
		manganese oxides as we		
4.	Emergency and first a	(mostly iron oxides) occ		
4.	Remove from dust of fume	(mostly iron oxides) occ	ur.	
4.	Remove from dust of fume medical aid immediately.	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respira	ur. ation. Summon	
4.	Remove from dust of fume	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respira If breathing is difficult, p	ur. ation. Summon	
4.	Remove from dust of fume medical aid immediately.	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respira If breathing is difficult, p and call physician. For skin burns from arc	ur. ation. Summon provide fresh air radiation, see	
4.	Remove from dust of fume medical aid immediately. Inhalation:	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respira If breathing is difficult, p and call physician. For skin burns from arc of physician. Affected skin	ur. ation. Summon provide fresh air radiation, see	
4.	Remove from dust of fume medical aid immediately. Inhalation: Skin contact:	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respira If breathing is difficult, p and call physician. For skin burns from arc physician. Affected skin carefully with soap.	ur. ation. Summon provide fresh air radiation, see has to be washed	
4.	Remove from dust of fume medical aid immediately. Inhalation:	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respira If breathing is difficult, p and call physician. For skin burns from arc = physician. Affected skin carefully with soap. For radiation burns due t	ur. ation. Summon provide fresh air radiation, see has to be washed to arc flash, see	
4.	Remove from dust of fume medical aid immediately. Inhalation: Skin contact: Eye contact:	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respira If breathing is difficult, p and call physician. For skin burns from arc : physician. Affected skin carefully with soap. For radiation burns due t physician. Under flowin the wide opened eyelid	ur. ation. Summon provide fresh air radiation, see has to be washed to arc flash, see	
	Remove from dust of fume medical aid immediately. Inhalation: Skin contact: Eye contact: After swollow:	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respira If breathing is difficult, p and call physician. For skin burns from arc physician. Affected skin carefully with soap. For radiation burns due t physician. Under flowin the wide opened eyelid not listed	ur. ation. Summon provide fresh air radiation, see has to be washed to arc flash, see g water wash out	
4. 5.	Remove from dust of fume medical aid immediately. Inhalation: Skin contact: Eye contact:	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respiration If breathing is difficult, p and call physician. For skin burns from arc is physician. Affected skin carefully with soap. For radiation burns due to physician. Under flowing the wide opened eyelid not listed states of the product is states of the product is	ur. ation. Summon provide fresh air radiation, see has to be washed to arc flash, see g water wash out	
	Remove from dust of fume medical aid immediately. Inhalation: Skin contact: Eye contact: After swollow:	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respira If breathing is difficult, p and call physician. For skin burns from arc physician. Affected skin carefully with soap. For radiation burns due t physician. Under flowin the wide opened eyelid not listed	ur. ation. Summon provide fresh air radiation, see has to be washed to arc flash, see g water wash out	
5.	Remove from dust of fume medical aid immediately. Inhalation: Skin contact: Eye contact: After swollow: Fire fighting measure possible fire extinguishing: Accidental release measure	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respiration If breathing is difficult, p and call physician. For skin burns from arc is physician. Affected skin carefully with soap. For radiation burns due to physician. Under flowing the wide opened eyelid not listed ess not usable, the product is flammable nor explosive not usable	ur. ation. Summon provide fresh air radiation, see has to be washed to arc flash, see g water wash out	
5.	Remove from dust of fume medical aid immediately. Inhalation: Skin contact: Eye contact: After swollow: Fire fighting measure possible fire extinguishing: Accidental release me Release	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respiration If breathing is difficult, p and call physician. For skin burns from arc is physician. Affected skin carefully with soap. For radiation burns due to physician. Under flowing the wide opened eyelid not listed ss not usable, the product is flammable nor explosive not usable easures	ur. ation. Summon provide fresh air radiation, see has to be washed to arc flash, see g water wash out	
5. 6. 7.	Remove from dust of fume medical aid immediately. Inhalation: Skin contact: Eye contact: After swollow: Fire fighting measure possible fire extinguishing: Accidental release me Release Handling and Storage	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respiration If breathing is difficult, p and call physician. For skin burns from arc is physician. Affected skin carefully with soap. For radiation burns due to physician. Under flowing the wide opened eyelid not listed ss not usable, the product is flammable nor explosive not usable easures	ur. ation. Summon provide fresh air radiation, see has to be washed to arc flash, see g water wash out	
5.	Remove from dust of fume medical aid immediately. Inhalation: Skin contact: Eye contact: After swollow: Fire fighting measure possible fire extinguishing: Accidental release measure Release Handling and Storage Handling	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respiration If breathing is difficult, p and call physician. For skin burns from arc is physician. Affected skin carefully with soap. For radiation burns due to physician. Under flowing the wide opened eyelid not listed es not usable, the product is flammable nor explosive not usable estimation of the state of	ur. ation. Summon provide fresh air radiation, see has to be washed to arc flash, see g water wash out s neighter	
5. 6. 7. 7.1	Remove from dust of fume medical aid immediately. Inhalation: Skin contact: Eye contact: After swollow: Fire fighting measure possible fire extinguishing: Accidental release measure Release Handling and Storage Handling Advise of precaution measure	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respiration If breathing is difficult, p and call physician. For skin burns from arc is physician. Affected skin carefully with soap. For radiation burns due to physician. Under flowing the wide opened eyelid not listed es not usable, the product is flammable nor explosive not usable estimation of the state of	ur. ation. Summon provide fresh air radiation, see has to be washed to arc flash, see g water wash out s neighter	
5. 6. 7.	Remove from dust of fume medical aid immediately. Inhalation: Skin contact: Eye contact: After swollow: Fire fighting measure possible fire extinguishing: Accidental release measure Release Handling and Storage Handling	(mostly iron oxides) occ aid procedures exposure. If breathing has stopped perform artificial respiration of the product of the product of the physician. If breathing is difficult, product of the physician. Affected skin carefully with soap. For radiation burns due to physician. Under flowing the wide opened eyelid not listed S not usable, the product is flammable nor explosive not usable easures UVV (VBG 15) has to b	ur. ation. Summon provide fresh air radiation, see has to be washed to arc flash, see g water wash out s neighter	

LAWITEX	Material Safety Data Sheet	Page 2
Welding technology	 For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with Council Directive 2006/121/EC relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that. 	LAWI 56

8.	Exposure Controls/Personal P	rotection					
8.1	additional advises		The measures under point				
	for technical machines		7.1 has to be taken into consideration				
8.2	Components with working place related limit						
	Values which must be supervised						
	Identification of Substance	CAS-No.	limit value				
	chrome	7440-47-3	10-30%				
	iron	7439-89-6	50-100%				
	molybdenum	7439-98-7 1317-35-7 -	2,5-10% 1,0 mg/m ³ (TRK) total weight				
	manganese oxide (Mn3O4)						
	fluorides		6,0 mg/m ³ (TRK) total weight				
	ozone	10028-15-6	0,2 mg/m ³ (TRK) total weight				
8.3	Personal safety equipment						
	Respiratory, hand, eye,		follow UVV (VBG 15) §27				
	Safety and hybienic protection		in the workroom drinking or eating is not				
			allowed to				
9.	Physical and Chemical Properties						
	manifestation:		solid wire, high alloyed				
	safety relevant data:		not applicable				
10.	Stability and Reactivity		avoid contact with acids and bases				
			Product is stable until 1200C.				
11.	Toxicological Information		follow point 3				
12.	Ecological Information:		Welding consumables and materials could degrade/weather into components originating from the consumables or from the materials used in the welding process. Avoid exposure to conditions that could lead to accumulation in soils or groundwater.				
13.	Disposal Considerations		Waste Disposal Method: Prevent waste from contaminating the surrounding environment. Discard any product, residue, disposable, container or liner in an environmentally acceptable manner, in full compliance with federal, state and local regualtions.				
14.	Transport Information						
	-		No international regulations or restrictions				
			are applicable				
15.	Regulatory Information						
15.1	registration mark		not listed				
	registration letter		not listed				
	Danger icon		not listed				
	Risk category		not listed				
	Security category		not listed				

LAWITEX	Material Safety Data Sheet	Page 3
Welding technology	For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with Council Directive 2006/121/EC relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	LAWI 56

15.2 National regulations

16.

Advice of working restrictions Malfunction V: classification about VbF: technical instructions AIR: Danger grade of water: Other regulations:

Other information

not usable not usable not usable 5 mg/m³, by a mass power > 25 g/h not expected not announced

literature:

Unfallverhütungsvorschriften (VBG 15) Schweißen Schneiden und verwandte Verfahren DVS-Merkblatt 1201: Absaugung an Schweißarbeitsplätzen DVS-Faltblätter zum Arbeitsschutz beim Schweißen DVS-Fachbuch Unterweisung von Schweißern im Arbeitsschutz Kraume, Zober: Arbeitssicherheit und Gesundheitschutz in der Schweißtechnik

LAWITEX GmbH Schweisstechnik 40764 Langenfeld Telefon: 02173-3991780 Hitdorfer Str. 10 c Fax: 02173-3991781