LA	WITEX	Material Safety Da	ta Sheet	Page 1	
Veldi	ng technology	For welding consumables and re Conforms to Workplace Hazardous M System (WHIMS) Rev. No May be used to comply with Osha's Ha Standard, 29 CFR 1910.1200. Standard specific requirement Maybe used to comply with Council Di relating to the classification, packagi dangerous substance Blank spaces are not permitted. If any ite no information is available, the space indicate that.	aterials Information v. 1988 zard Communication must be consulted for s. rective 2006/121/EC ng and labelling of es. em is not applicable, or	NFL 110 NiMo	
l. l.1	Product and Company Identification Product information				
	Product type: Product name:		d wire electrode, L 110 NiMo	high-alloyed	
1.2	Supplier:	LA Hite	WITEX GmbH dorfer Str. 10 c		
			64 Langenfeld		
2.	Composition/Informa Description:	This	product contains of nickel and iron.	$2 \ge 1$ weight	
	Risky ingredients: CAS-Nr. Type of Ingredient:	7439 Fe	9-89-6 7440-0 Ni	02-0	
	Ingredient [weight-%]: Danger icon Risk category:	not	$\begin{array}{llllllllllllllllllllllllllllllllllll$	3	
3_	Hazards Identificatio	occu proc are c irrita man	erent kinds of fume ir during the welding ress. Nickel oxides n classified as carcinog ant substances such a ganese oxides as we stly iron oxides) occ	g and grinding hight occur, which genic. In addition as fluorides and Il as fine dusts	
1.	Emergency and first a Remove from dust of fume medical aid immediately.	aid procedures exposure. If breathing has stopped per	form artificial respira	ation. Summon	
	Inhalation:		eathing is difficult, j call physician.	provide fresh air	
	Skin contact:	For phys	skin burns from arc sician. Affected skin fully with soap.		
	Eye contact:		For radiation burns due to arc flash, see physician. Under flowing water wash out the wide opened eyelid		
	After swollow:		listed		
5.	Fire fighting measure	flam	usable, the product is mable nor explosive		
	possible fire extinguishing:		usable		
5.	Accidental release me Release		usable		
7. 7.1	Handling and Storage Handling		V (VPC 15) has to b	e follown	
7.2	Advise of precaution measu Storage Standarts for stockrooms/co	ontainer: spez	V (VBG 15) has to b ial standarts for stoc ot exist		

<u>LAWITEX</u>	Material Safety Data Sheet	Page 2
Welding technology	 For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with Council Directive 2006/121/EC relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that. 	NFL 110 NiMo

8.	Exposure Controls/Personal P	rotection					
8.1	additional advises		The measures under point				
	for technical machines		7.1 has to be taken into consideration				
8.2	Components with working place related limit						
	Values which must be supervised						
	Identification of Substance	CAS-No.	limit value				
	Nickel	7440-02-0	0,5 mg/m ³ (TRK) total weight				
	Nickel-oxide	1313-99-1	0.5 mg/m^3 (TRK) total weight				
	Manganese oxide (Mn3O4)	1317-35-7	0.5 mg/m^3 (TRK) total weight				
	Fluorides	_	6 mg/m ³ (TRK) total weight				
	Ozone	10028-15-6	0.2 mg/m^3 (TRK) total weight				
8.3	Personal safety equipment	10020 15 0	0,2 mg/m (mtt) total weight				
0.5	Respiratory, hand, eye,		follow UVV (VBG 15) §27				
	Safety and hybienic protection		in the workroom drinking or eating is not				
	5 5 1		allowed to				
9.	Physical and Chemical Proper	ties					
	manifestation:		solid wire electrode, high-alloyed				
	safety relevant data:		not applicable				
10.	Stability and Reactivity		avoid contact with acids and bases				
			Product is stable until 1200C.				
11.	Toxicological Information		follow point 3				
12.	Ecological Information:		Welding consumables and materials could degrade/weather into components originating from the consumables or from the materials used in the welding process. Avoid exposure to conditions that could lead to accumulation in soils or				
			groundwater.				
13.	Disposal Considerations		Waste Disposal Method:				
	-		Prevent waste from contaminating the surrounding environment. Discard any product, residue, disposable, container or liner in an environmentally acceptable manner, in full compliance with federal, state and local regualtions.				
14.	Transport Information						
			No international regulations or restrictions are applicable				
15.	Regulatory Information						
15.1	registration mark		not listed				
	registration letter		not listed				
	Danger icon		not listed				
	Risk category		not listed				
	Security category		not listed				

LAWITEX	Material Safety Data Sheet	Page 3
Welding technology	For welding consumables and related products Conforms to Workplace Hazardous Materials Information System (WHIMS) Rev. Nov. 1988 May be used to comply with Osha's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements. Maybe used to comply with Council Directive 2006/121/EC relating to the classification, packaging and labelling of dangerous substances. Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	NFL 110 NiMo

15.2 **national regulations**

Advice of working restrictions Malfunction V: classification about VbF: technical instructions AIR:

Danger grade of water: Other regulations:

16. **Other information**

not usable not usable 5 mg/m3, to a stream > 25 g/h not expected not announced

literature:

Unfallverhütungsvorschriften (VBG 15) Schweißen Schneiden und verwandte Verfahren DVS-Merkblatt 1201: Absaugung an Schweißarbeitsplätzen DVS-Faltblätter zum Arbeitsschutz beim Schweißen DVS-Fachbuch Unterweisung von Schweißern im Arbeitsschutz Kraume, Zober: Arbeitssicherheit und Gesundheitschutz in der Schweißtechnik

LAWITEX GmbH Welding technology D-40764 Langenfeld Phone: +492173-3991780 Hitdorfer Str. 10 c www.lawitex.de